Modular Design and Implementation of an Automatic Power Factor Regulator for Energy Savings on Fishing Vessels

Chien-Hsing Lee

Department of Systems and Naval Mechatronic Engineering, National Cheng Kung University, Tainan, Taiwan

Shih-Hsien Hsu

Department of Electrical Engineering, Feng Chia University, Taichung, Taiwan, R.O.C., shihhsu@fcu.edu.tw

Joe-Air Jiang

Department of BioMechatronics Engineering, National Taiwan University, Taipei City, Taiwan

Follow this and additional works at: <https://jmstt.ntou.edu.tw/journal>

Part of the [Fresh Water Studies Commons](#), [Marine Biology Commons](#), [Ocean Engineering Commons](#), [Oceanography Commons](#), and the [Other Oceanography and Atmospheric Sciences and Meteorology Commons](#)

Recommended Citation

Lee, Chien-Hsing; Hsu, Shih-Hsien; and Jiang, Joe-Air (2021) "Modular Design and Implementation of an Automatic Power Factor Regulator for Energy Savings on Fishing Vessels," *Journal of Marine Science and Technology*. Vol. 29: Iss. 3, Article 12.

DOI: 10.51400/2709-6998.1443

Available at: <https://jmstt.ntou.edu.tw/journal/vol29/iss3/12>

This Research Article is brought to you for free and open access by Journal of Marine Science and Technology. It has been accepted for inclusion in Journal of Marine Science and Technology by an authorized editor of Journal of Marine Science and Technology.

RESEARCH ARTICLE

Modular Design and Implementation of an Automatic Power Factor Regulator for Energy Savings on Fishing Vessels

Chien-Hsing Lee ^a, Shih-Hsien Hsu ^{b,*}, Joe-Air Jiang ^c

^a Department of Systems and Naval Mechatronic Engineering, National Cheng Kung University, Tainan, 701, Taiwan

^b Department of Electrical Engineering, Feng Chia University, Taichung, 407, Taiwan, ROC

^c Department of BioMechatronics Engineering, National Taiwan University, Taipei City 106, Taiwan and Department of Medical Research, China Medical University Hospital, China Medical University, Taichung, 40447, Taiwan

Abstract

This study describes the experiences of modular design and implementation of an automatic power factor regulator for improving energy efficiency on Taiwanese longline fishing vessels. The load capacities of such vessels are typically divided into three categories, depending on the gross tonnage or fish carrying capacity: less than 100 kW, from 100 kW to less than 250 kW, and larger than 250 kW. For attaining proper power factor improvement, a compensation unit with a total of 30 kVar, 60 kVar and 90 kVar was sized and assembled with capacitors of 10, 15 and 20 kVar to enable control within 12 steps. Slots for additional capacitors of 10 kVar were reserved and connected in parallel. Based on the experiences, fuel consumption can be reduced and the payback period of the implemented equipment occurs to be within a little more than a year.

Keywords: Power factor correction, Energy savings, Diesel engine generator

1. Introduction

WITH the rising fuel prices and the regulated efforts in reducing harmful emissions, it is important to ensure that marine diesel engines operate in a highly efficient manner. Typically, the engine generator set on fishing vessels is designed at a power factor of 0.8 lagging that results in lower operating efficiency. This can, however, be achieved by using new equipment and systems or by improving operating procedures [1]. On land, over-exciting generator and power factor correction are two alternatives that are often used to increase the electrical system's efficiency. Since there is not much to be gained by over-exciting the generator, the genset

still supplies the same apparent power. Thus, this study chooses to correct the power factor on the vessel's electrical network by adding parallel capacitors [7,8].

According to a report released by the Fisheries Agency of Taiwan in 2018, Taiwanese tuna fishing fleet numbers are about 135 boats and the vessel's electrical network often operates at a lagging power factor between 0.7 and 0.8, resulting in poor energy performance. Although various techniques of power factor improvement have been developed to provide the compensation requirements for industrial and commercial applications on land, there are few works in literature concerning the power factor in marine electrical systems[2,3,4,5,6,7,8,9,10]. In the previous work [2], the authors have examined and confirmed look-up table and simple approximation

Received 22 September 2019; revised 23 September 2020; accepted 30 October 2020.
Available online 25 June 2021.

* Corresponding author.
E-mail address: shihhsu@fcuo.fcu.edu.tw (S.-H. Hsu).

Note: N is the number of a withdrawable capacitor module of 10 kVar.

0.8 lagging or below, it requires to correct the power factor by adding parallel capacitors. The required capacity of capacitor banks in kVar to achieve a desired power factor can be calculated as follows:

$$C_{kVar} = P_{\max} \left[\tan \left(\cos^{-1} (pf_{\text{original}}) \right) - \tan \left(\cos^{-1} (pf_{\text{desired}}) \right) \right] \quad (1)$$

where C_{kVar} is the necessary capacitor power rating (kVar), $P_{\max}$ is the maximum load power drawn from the bus (kW), pf_{original} is the original power factor, and pf_{desired} is the desired power factor. This study installs a withdrawable capacitor module of 10 kVar with an explosion-proof structure to build capacitor banks for automatic compensation of 6 to 12 electrical combinations of the unit at the service feeder. The capacitor power rating is replaceable by other capacities of 15–20 kVar for different loading conditions. From a viewpoint of efficiency, the number of capacitors on a compensation unit should have enough electrical steps that can meet the demands of inductive loads.

Step 3. Calculate the fuel-saving when running an alternator without and with adding capacitors. This study computes the fuel-saving of running an alternator under various load power factor conditions based on the apparent output power of an alternator, namely simple approximation method [2]. The fuel-saving (FS) formula based on the apparent output power of an alternator is repeated as below:

$$FS_i = \sum_{i=1}^n \left(\frac{M_{t2,i} - M_{t1,i}}{S_{1,i}} \times cf \times S_{2,i} \right) \quad (2)$$

where $S_{1,i}$ and $S_{2,i}$ represent the i^{th} average apparent power output of an alternator without and with adding capacitors (kVA), respectively. $M_{t1,i}$ and $M_{t2,i}$ are the readings of the fuel oil tank level at the beginning and at the end of the test without adding capacitors at the i^{th} output power generation per hour (ton), respectively. n is the amount of the i^{th} output power generation divided per voyage, and cf is the correction factor for fuel oil consumption in other ambient conditions to indicate the alternator efficiency when considering the degradation of an alternator's life limited parts. Thus, the fuel cost saving (FCS) with the installation of capacitors is yielded to be

$$FCS_i = \sum_{i=1}^n (FS_i \times RT_i \times FP) \quad (3)$$

where FCS_i is the FCS when running an alternator with capacitors at the i^{th} output power generation (USD), RT_i is the average running time for the i^{th} output power per voyage (h), and FP is the fuel price (USD/ton). Although the potential annual FCS of marine diesel engines is mainly dependent on the operating condition and duration of navigating a ship, its calculation in this study is based on three operation modes: maneuvering, hotelling and fishing operations during which freezers are turned on.

4. Test results and discussions

4.1. Design consideration

The compensation unit is placed downstream of the alternator in this study. Due to limited space and safety considerations in a ship, the cabinet is installed in a cool and well ventilated place. A single-line diagram of the designed unit consisting of a protection unit, a command and control unit, a display unit and a compensation unit up to 120 kVar mounted in a common enclosure.

To determine the size of the capacitor bank, some considerations are illustrated below:

- (i) Ship energy inspection: If the average power factor in a vessel is higher than 0.9 lagging, there is no need to correct power factor. However, if the power factor is less than 0.8 lagging, there is a need for correction, and the targeted power factor is specified as 0.9 lagging and above.
- (ii) Power factor for alternator sets: To ensure the generating capacity that does not exceed the prime mover with a working capacity, the alternator's power factor is chosen to be 0.8 because alternator sets are generally rated in kVA at 0.8 power factor lagging. If the alternator rating is greater than the maximum power of the load, there is no need to install capacitors.
- (iii) Capacitor selection. Compensative capacitors must be able to withstand the system voltage. The allowable over voltage is limited to within 10% of the rated voltage in 8 hours per day. Moreover, capacitors should have the ability to withstand a higher level of excessive voltage when considering the harmonic content of a system.
- (iv) Circuit design. Since the relative humidity is usually very high within a ship, working

temperature of the power factor correction equipment is a fundamental parameter for safe operation.

4.2. Field test results

Two vessels were tested to evaluate the fuel saving potential with the designed compensative unit for the desired power factor (PF) of 0.95 lagging. Fig. 2 shows the single-line diagram of the electrical distribution of the ship's power and Fig. 3 shows the inspection of their energy use in a voyage before power factor correction (PFC). As seen in Fig. 3, the total loads of a 500-ton vessel is about 80~120 kW with a PF of 0.8 lagging when one of the two freezers that are installed on the ship is turned on; the total loads of the 700-ton vessel is about 150~350 kW with a PF of 0.8 lagging when three of the four freezers are turned on. Since the average PF of the two vessels is less than 0.8 lagging, the power factor improvement is required.

Since it is desired to correct the load to a power factor of 0.95 lagging, the total capacitances in 60 kVar and 120 kVar are needed for the 700-ton and 500-ton vessels, respectively. Measured data are taken on the vessels operated in a voyage after installing PFC capacitors. As seen in Fig. 4, the total operated load of the system was 80~100 kW with a lagging PF of 0.8. One hour and 15 minutes later, the strategy for compensating the reactive power by using an automatic power factor regulator (APFR) with four steps of 15 kVar was adopted to appropriately follow the reactive power load in order to reach the target PF. For the same working loads, the

Fig. 3. Measured results of the studied vessels operated in a voyage without power factor improvement. (a) 500-ton vessel (b) 700-ton vessel.

apparent power was reduced from 80 kVA to 68 kVA and the reactive power was reduced from 44 kVar to 18 kVar. Just after 13:15, capacitors were switched off by a controller and the PF dropped below 0.8. As seen in Fig. 5, the total operated load of the system was 200 kW with a lagging PF of 0.8. One day later, the strategy for compensating the reactive power by using the designed APFR with 12 steps of 10 kVar was adopted to appropriately follow

Fig. 2. Single-line diagram of a distribution network on the studied vessels connected with capacitor banks. (a) 500-ton vessel (b) 700-ton vessel.

Fig. 4. Measured results of the studied 500-ton vessel operated in a voyage after installing power factor correction capacitors.

the reactive power load in order to reach the target PF. For the same working loads, the compensating unit will reduce above 40 kVar of the apparent power demand on the system and the reactive power was reduced from 140 kVar to 70 kVar.

Fig. 5. Measured results of the studied 700-ton vessel operated in a voyage after installing power factor correction capacitors.

4.3. Economic evaluation of power factor improvement

4.3.1. On the 500-ton vessel

Before switching on the compensative unit, the average values of real power, reactive power, current, voltage and power factor measured at the main bus under maneuvering and hotelling operations with turning on one freezer for a full 24 hours were 88.49 kW, 54.25 kVar, 290 A, 223 V and 0.79 lagging, respectively. After energizing the capacitor bank for the desired power factor of 0.95 lagging, these measurements under the same loading conditions were 87.69 kW, 28.82 kVar, 243 A and 223 V. With an improved power factor, it has saved nearly 40 liters per day. Table 2 summarizes the alternator parameter measurements during various loading conditions. As seen in Table 2, since the average alternator fuel consumption rate at half load tested by a laboratory was 235 g/kWh, this value is likely to increase in practice, resulting in a value of 270.25 g/kWh.

To further illustrate getting a better fuel economy for corrected power factors, investigations were performed on board the ship departed on the 26-day voyage in 2017. The average values of real power, current, voltage and power factor measured at the main bus that the ship was engaged in navigating with partial and full motor loads with turning on one or two freezers were in the range of [100, 120] kW, [270, 340] A, [222, 224] V and [0.78, 0.95] lagging, respectively. Fig. 6 shows the alternator fuel consumption and the current flowing through the cable during the voyage before and after power factor correction (PFC). With having a power factor of 0.95 lagging, it has saved nearly 1,864 liters for the 26-day.

4.3.2. On the 700-ton vessel

Considering the time-varying characteristics of the load on the 700-ton vessel, the results of parameter estimation came from the actual measurements in a time window size of one hour during which three situations were examined: maneuvering and hotelling, turning on the fans in the freezer and engine compartments, and engaging in fishing operations while controlling the freezer temperature by turning on three freezers. Before switching on the compensative unit, the average values of real power, reactive power, apparent power, current, voltage and power factor measured at the main bus for a full 24 hours were 192.65 kW, 142.88 kVar, 239.34 kVA, 618 A, 223 V and 0.8 lagging, respectively. Moreover, the alternator's fuel consumption for one hour was 80.09 liters. After

Table 2. Alternator parameters of the 500-ton vessel measured per hour.

ALT. output power (kW)	Fuel consumed by ALT. (g/kWh)	Avg. lagging PF		Avg. output current (A)		Avg. output voltage (V)		Avg. efficiency (%)	
		PFC unit		PFC unit		PFC unit		PFC unit	
		on	off	on	off	on	off	on	off
38	239.3	0.93	0.79	105.6	124.8	223.3	222.5	85.9	84.4
63	237.4	0.94	0.78	173.3	209.7	223.2	222.3	87.5	85.9
104	232.7	0.95	0.79	283.1	341.7	223.3	222.4	88.6	87.0
122	230.9	0.96	0.79	328.4	401.1	223.4	222.3	89.6	87.9
154	227.9	0.96	0.80	414.9	499.5	223.2	222.5	91.3	89.5

Table 3. Economic evaluation results of implementing the PFC system on the studied vessels.

Items		500-ton vessel		700-ton vessel	
		Without PFC	With PFC	Without PFC	With PFC
Capital and maintenance costs (USD)		0	6,550	0	7,145
Annual fuel consumption with (ton)	Measured	234.47	221.33	312.80	303.77
	SAA	234.47	223.33	312.80	303.63
Annual fuel cost saving (USD)	Measured	6664.60		4580.01	
	SAA	5650.20		4651.02	
Annual carbon emission cost saving (USD)	Measured	59.24		40.71	
	SAA	50.23		41.34	
Annual carbon emission reduction (ton)	Measured	35.47		24.38	
	SAA	30.07		24.75	
ROI with (years)	Measured	1.01		1.63	
	SAA	1.19		1.60	

Notes: Calculation is based on the diesel fuel price 507.2 USD\$ per ton of CPC in Feb. 2018 (the average price of international crude oil per barrel is 63.4 USD), the combustion of 1 liter of diesel fuel produces around 2.7 kg of CO₂, annual interest rate at 2.14% and carbon tax of 1.67 USD per ton, and 1 NT\$ = 30 USD.

energizing the capacitor bank for the desired power factor of 0.95 lagging, these measurements under the same loading conditions were 192.27 kW, 63.57 kVar, 202.51 kVA, 522 A and 223 V. The alternator's fuel consumption for one hour was 76.23 liters. With having a power factor of 0.95 lagging, it has saved nearly 3.86 liters for one hour. As such, the value obtained through calculation with assuming the constant c_f of 1.15 in (2) is 2.16 liters.

Fig. 6. Measured fuel consumption per day of the 500-ton vessel operated in a voyage before and after power factor correction.

5. Payback analysis of the implemented APFR unit

Table 3 summarizes the evaluation of implementing the APFR on the 500- and 700-ton vessels for one year. The alternator used in both vessels has the annual run time of 7,200 hours. As seen in Table 3, about 9.03 tons of fuel oil for the 700-ton ship can be saved annually, resulting in a fuel oil cost saving of roughly 4,580 USD and a payback period of one year with the PFC system. Theoretically, about 9.03 tons of FOC can be saved using the simple approximation method (SAA), resulting in a cost saving of 4,651 USD. As a result, the corresponding payback period of 1.63 years can be yielded theoretically. In addition, about 13.14 tons of fuel oil for the 500-ton ship can be saved annually, resulting in a cost saving of roughly 6665 USD and a payback period of one year with the PFC system. Theoretically, about 11.14 tons of FOC can be saved using the SAA method, resulting in a cost saving of roughly 5,650 USD. As a result, the corresponding payback period of 1.19 years can be yielded theoretically.

Although the fuel cost saving associated with the use of PFC for marine electrical systems may vary,

somehow depending on the size of the system, this study uses a break-even analysis (BEA) to quantify the benefits of PFC in terms of the reduced fuel and carbon emission costs. A quick measurement to assess the financial returns on PFC equipment is expressed as follows:

$$X_T = \frac{F + R}{(FCS_i + CT) - M} \quad (4)$$

where.

X_T is the payback period (years).

F is the fixed capital investment of PFC equipment (USD).

R is the annual interest payment (USD).

FCS_i is the fuel cost saving (USD).

CT is the carbon tax saving (USD), and.

M is the cost of depreciation and maintenance on the PFC system (NT\$).

Note that the annual interest payment is ignored, since the fixed capital investment on PFC equipment does not involve a large amount of money. In addition, the carbon tax rate used in this study is USD 1.6 per ton.

To have a better understanding of the benefits in installing a PFC system on a ship, payback analyses were performed to identify the critical aspects of the investment. The parameters could include interest rates, fuel oil prices, maintenance costs and carbon emission tax. One of the vital effects, fuel oil prices in the payback period of a PFC system installed on the studied vessels was examined, based on the results of practical measures and SAA method, and the results are depicted in Fig. 7. By examining the fluctuations of international crude oil prices from 2013 to 2018, the impact of fuel oil price changes on the payback period was analyzed. In this paper, the average international crude oil price per barrel refers to the average crude oil prices in Brent Crude,

Dubai, and West Texas in February each year. As seen in Fig. 7, when the average price of international crude oil are 107.5, 104.8, 55.1, 30.9, 54.3 and 63.4 USD per barrel, the payback period for the 500-ton ship based on the practical measurements will become 0.68, 0.69, 1.22, 1.84, 1.15 and 1.01 years, respectively. Similarly, the trends can be found in the payback period for the 700-ton ship based on the practical measurements. Thus, energy saving from PFC improvements on a ship power system will result in more favorable economic benefits and paybacks when oil prices rise substantially.

6. Conclusions

This study presents two cases of implementing automatic power factor compensators (PFC) on marine power systems to solve low power factor problems while increasing fuel efficiency. To gain a better understanding of the benefits in installing a PFC system on a ship, fuel oil prices in the payback period of a PFC system installed on the studied vessels was examined based on the practical measurements as well as the simple approximation method related to the apparent output power of an alternator. The results show that rising oil prices will surely bring more favorable economic benefits for investment in energy-efficient ship retrofitted with installing a PFC unit.

Acknowledgement

This work was supported in part by the Ministry of Science and Technology, Taiwan, R.O.C. under Grant MOST 109-2221-E-006-080-MY3.

References

- 1 American Bureau of Shipping. Ship energy efficiency measures: status and guidance. 2017. Retrieved on Sep. 30, 2020, <https://www.eagle.org/eagleExternalPortalWEB/ShowProperty/BEA%20Repository/References/Capability%20Brochures/ShipEnergyEfficiency>.
- 2 Lee CH, Hsu SH. Assessment of energy savings on power factor improvement of marine electrical systems. *J Marine Sci Technol* 2015;20(3):475–86.
- 3 Mitra P, Venayagamoorthy GK. An adaptive control strategy for DSTATCOM applications in an electric ship power system. *IEEE Trans. Power Electron* 2010;25(1):95–104.
- 4 Prousalidis J, Hatzilau I, Michalopoulos I, Pavlou, Muthumuni D. Studying ship electric energy systems with shaft generator. Philadelphia, PA, USA: IEEE Electric Ship Technologies Symposium; 2005.
- 5 Prousalidis J. The necessity of reactive power balance in ship electrical energy systems. *J Marine Eng Technol* 2011;10(1): 37–47.
- 6 Prousalidis J, Antonopoulos G, Mouzakis P, Sofras E. On resolving reactive power problems in ship electrical energy systems. *J Marine Eng Technol* 2015;14(3):124–36.
- 7 Su CL, Lin MC, Liao CH. A energy-saving evaluation method to justify automatic power factor compensators on marine

Fig. 7. Effects of fuel oil prices on the payback period of a PFC system installed on the studied vessel.

- vessels. USA: IEEE Industry Applications Annual Meeting, Las Vegas, NV; 2012.
- 8 Su CL, Lin MC, Liao CH. A method for evaluating energy efficiency to justify power factor correction in ship power systems. *IEEE Transact Indust Appl* 2013; 49(6):2773–82.
- 9 Taye A. Design and simulation of automatic power factor correction for industry application. *Int J Eng Technol Manag Res* 2018;5(2):10–21.
- 10 Xu XY, Mindykowski JM, Chen CL. Study on hybrid filtering solution for marine electric network. *Polish Marit Res* 2010; 17(2):72–8.