

Volume 30
Issue 5 Review-Special Issue (Part 2)

Article 28

Key to the species of Calanidae Calanus occurring in the China Seas

Chang-tai Shih

National Taiwan Ocean University, ctshih@mail.ntou.edu.tw

Qing-Chao Chen

South China Sea Institute of Oceanology

Yang-Chi Lan

Fisheries Research Institute

Shih-Hui Hsiao

National Taipei University of Education

Chi-Yu Weng

Institute of Oceanography, National Taiwan University/Ocean Data Bank of the Ministry of National Science and Technology Council, Taiwan

Follow this and additional works at: <https://jmstt.ntou.edu.tw/journal>



Part of the Fresh Water Studies Commons, Marine Biology Commons, Ocean Engineering Commons, Oceanography Commons, and the Other Oceanography and Atmospheric Sciences and Meteorology Commons

Recommended Citation

Shih, Chang-tai; Chen, Qing-Chao; Lan, Yang-Chi; Hsiao, Shih-Hui; and Weng, Chi-Yu (2022) "Key to the species of Calanidae Calanus occurring in the China Seas," *Journal of Marine Science and Technology*: Vol. 30: Iss. 5, Article 28. DOI: 10.51400/2709-6998.2619

Available at: <https://jmstt.ntou.edu.tw/journal/vol30/iss5/28>

This Review-Taxonomic Index is brought to you for free and open access by Journal of Marine Science and Technology. It has been accepted for inclusion in Journal of Marine Science and Technology by an authorized editor of Journal of Marine Science and Technology.

REVIEW-TAXONOMIC INDEX

Key to the Species of Calanidae *Calanus* Occurring in the China Seas

Chang-tai Shih ^{a,*}, Qing-Chao Chen ^b, Yang-Chi Lan ^c, Shih-Hui Hsiao ^d, Chi-Yu Weng ^e

^a National Taiwan Ocean University, Taiwan

^b South China Sea Institute of Oceanology, China

^c Fisheries Research Institute, Taiwan

^d National Taipei University of Education, Taiwan

^e Institute of Oceanography, National Taiwan University/Ocean Data Bank of the Ministry of National Science and Technology Council, Taiwan

Calanus jaschnovi(2b/3b/f), *sinicus*(2a/3a/f)

| | | |
|-------|--|--------------------------|
| 1a | Female | 2 |
| 1b | Male | 3 |
| 2a/1a | Prosome in general spindle-shaped, front of cephalosome in dorsal view dully triangular, posterolateral corners closed to urosome. Antennule exceeding distal end of caudal ramus by up to 2 segments..... | <i>Calanus sinicus</i> |
| 2b | Prosome in general columnar-shaped, front of cephalosome in dorsal view, moderately rounded, posterolateral corners divergent. Antennule reaching distal end of urosomite 3 | <i>Calanus jaschnovi</i> |
| 3a/1b | Anal somite longer than urosomite 4. Segments in leg 5, generally narrower, e.g., right leg 5 exopod segment 3, length 3 times width..... | <i>Calanus sinicus</i> |
| 3b | Anal somite and urosomite 4 subequal in length. Segments in leg 5 generally wider, e.g., right leg 5 exopod segment 3, length 2.5 times width..... | <i>Calanus jaschnovi</i> |


Available online 14 November 2022

* Corresponding author.

E-mail address: ctshih@mail.ntou.edu.tw (C.-t. Shih).



Calanus jaschnovi Hulsemann, 1994 (size: female, 3.40–4.40 mm; male, 3.00–3.80 mm)



Calanus jaschnovi Hulsemann, 1994

Hulsemann, 1994. Fig. 2/Fig. 4. Female (from NW Pacific) habitus (dorsal/lateral). Scale bar = 0.5 mm. Fig. 6/ Fig. 8. Male (from NW Pacific) (dorsal/lateral). Scale bar 0.5 mm. Fig. 10. Female (from NW Pacific): forehead (lateral). Scale bar = 0.5 mm. Figs. 12/14, genital segment (ventral/lateral). Fig. 16. Male (from NW Pacific): leg 5(posterior). Scale bar = 0.2 mm. Figs. 25-27. Female: (from NW Pacific); schematic, showing sites of integumental organs: 25/26/27, urosome (dorsal/lateral/ventral). Filled circle: 100% presence; open circle: 95–99% presence; triangle: 40–49% presence; dot: 30% or less presence. n = 49.

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed May 24 2021].

Calanus jaschnovi Hulsemann, 1994




Fig. 2




Fig. 3a-e





Fig. 3f-k

S.-H. Hsiao et al., 2004. Fig. 2. Female (from E Taiwan): a/b, habitus (dorsal/lateral). Fig. 3a–e: Female: a, antenna; b, mandible; c, maxillule; d, maxilla; e, maxillioed. Scale bar = 0.5 mm, Fig. 3f–k: f–j, legs 1–5; k, enlargement of coxa of leg 5. Scale bars: S₁ = 0.5 mm; S₂ = 0.1 mm. Nota: Coxa of P5 bearing 20–26 small teeth on curved inner border; length/width proportion of the segment 1.38–1.45.

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed May 24 2021].


Calanus sinicus Brodsky, 1965 (size: female, 2.10–3.60 mm; male, 2.00–3.50 mm)



Chen & Zhang

Chen & Zhang, 1965, 7. [Pl.1, 1–7]. Female (from E China Sea): 1/2, habitus (dorsal/); 3, P5 (posterior); 4, leg 5 coxa inner margin. Male: 5, urosome (dorsal); 6, leg 5 (posterior); 7, left leg 5 exopod distal segment.

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed May 24 2021].

Calanus sinicus Brodsky, 1965*Calanus sinicus* Brodsky, 1965

K. Hulsemann, 1994. Fig. 1. Female: (from NW Pacific): 1/2, habitus (dorsal/lateral). Scale bar = 0.5 mm. Fig. 2. Male: (from NW Pacific): Fig. 6/Fig. 7, habitus (dorsal/lateral). Scale bar = 0.5 mm. Fig. 9, forehead (lateral). Scale bar = 0.2 mm. Fig. 11/13, female, genital segment (ventral/lateral). Fig. 15, male, leg 5 (posterior). Scale bar = 0.2 mm. Figs. 22-24. Female: (from NW Pacific), schematic, showing sites of integumental organs: 22/23/24, urosome (dorsal/lateral/ventral). Filled circle: 100% presence; open circle: 95–99% presence; triangle: 40–49% presence; dot: 30% or less presence. n = 53.

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed May 24 2021].