



Key to the species of Calanidae Undinula occurring in the China Seas

Chang-tai Shih

National Taiwan Ocean University, ctshih@mail.ntou.edu.tw

Qing-Chao Chen

South China Sea Institute of Oceanology

Yang-Chi Lan

Fisheries Research Institute

Shih-Hui Hsiao

National Taipei University of Education

Chi-Yu Weng

Institute of Oceanography, National Taiwan University/Ocean Data Bank of the Ministry of National Science and Technology Council, Taiwan

Follow this and additional works at: <https://jmstt.ntou.edu.tw/journal>



Part of the [Fresh Water Studies Commons](#), [Marine Biology Commons](#), [Ocean Engineering Commons](#), [Oceanography Commons](#), and the [Other Oceanography and Atmospheric Sciences and Meteorology Commons](#)

Recommended Citation

Shih, Chang-tai; Chen, Qing-Chao; Lan, Yang-Chi; Hsiao, Shih-Hui; and Weng, Chi-Yu (2022) "Key to the species of Calanidae Undinula occurring in the China Seas," *Journal of Marine Science and Technology*: Vol. 30: Iss. 5, Article 32.
DOI: 10.51400/2709-6998.2623

Available at: <https://jmstt.ntou.edu.tw/journal/vol30/iss5/32>

This Review-Taxonomic Index is brought to you for free and open access by Journal of Marine Science and Technology. It has been accepted for inclusion in Journal of Marine Science and Technology by an authorized editor of Journal of Marine Science and Technology.

REVIEW-TAXONOMIC INDEX

Key to the Species of Calanidae *Undinula* Occurring in the China Seas

Chang-tai Shih ^{a,*}, Qing-Chao Chen ^b, Yang-Chi Lan ^c, Shih-Hui Hsiao ^d, Chi-Yu Weng ^e

^a National Taiwan Ocean University, Taiwan

^b South China Sea Institute of Oceanology, China

^c Fisheries Research Institute, Taiwan

^d National Taipei University of Education, Taiwan

^e Institute of Oceanography, National Taiwan University/Ocean Data Bank of the Ministry of National Science and Technology Council, Taiwan

Available online 14 November 2022

* Corresponding author.

E-mail address: ctshih@mail.ntou.edu.tw (C.-t. Shih).




<https://doi.org/10.51400/2709-6998.2623>

2709-6998/© 2022 National Taiwan Ocean University.

Undinula vulgaris (*one specie in China seas)


Undinula vulgaris (Dana, 1849) (Size: female, 1.80–3.25 mm; male, 2.00–3.23 mm)




Undinula vulgaris (Dana, 1849)

Chen & Zhang 1965. Female. Pl. 3, fig. 12. habitus (dorsal). Pl. 4, fig. 1. Hhbitus (lateral); 2. pediger 5 & genital double-somite; 3. Leg 2 (anterior). Male. habiatus (dorsal); 5. Leg 5 (anterior).

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed May 27, 2021].

Undinula vulgaris (Dana, 1849)*Undinula vulgaris* (Dana, 1849)

Original. *Undinula vulgaris* (Dana, 1849), Female, 3.02 mm, East China Sea (25°00'N 123°10'E): a/b. habitus (dorsal/lateral). Male, 2.64 mm, East China Sea (25°00'N 123°10'E): a/b. habitus (dorsal/lateral); c. Leg 5 (posterior).

Undinula vulgaris (Dana, 1849)*Undinula vulgaris* (Dana, 1849)

Original. *Undinula vulgaris* (Dana, 1849), Female, 3.02 mm, East China Sea (25°00'N 123°10'E). Antenna/mandible: a. Right antenna (posterior); b. Right mandible (posterior); maxillule/maxilla/maxilliped: c. Right maxillule (posterior); d. Right maxilla (posterior); e. Right maxilliped (posterior); legs 1–3, legs 4/5: f–j. Right legs 1–5.