



Key to the species of Eucalanidae Eucalanus occurring in the China Seas

Chang-tai Shih

National Taiwan Ocean University, ctshih@mail.ntou.edu.tw

Qing-Chao Chen

South China Sea Institute of Oceanology

Yang-Chi Lan

Fisheries Research Institute

Shih-Hui Hsiao

National Taipei University of Education

Chi-Yu Weng

Institute of Oceanography, National Taiwan University/Ocean Data Bank of the Ministry of National Science and Technology Council, Taiwan

Follow this and additional works at: <https://jmstt.ntou.edu.tw/journal>



Part of the [Fresh Water Studies Commons](#), [Marine Biology Commons](#), [Ocean Engineering Commons](#), [Oceanography Commons](#), and the [Other Oceanography and Atmospheric Sciences and Meteorology Commons](#)

Recommended Citation

Shih, Chang-tai; Chen, Qing-Chao; Lan, Yang-Chi; Hsiao, Shih-Hui; and Weng, Chi-Yu (2022) "Key to the species of Eucalanidae Eucalanus occurring in the China Seas," *Journal of Marine Science and Technology*. Vol. 30: Iss. 5, Article 40.

DOI: 10.51400/2709-6998.2631

Available at: <https://jmstt.ntou.edu.tw/journal/vol30/iss5/40>

This Review-Taxonomic Index is brought to you for free and open access by Journal of Marine Science and Technology. It has been accepted for inclusion in Journal of Marine Science and Technology by an authorized editor of Journal of Marine Science and Technology.

REVIEW-TAXONOMIC INDEX

Key to the Species of Eucalanidae *Eucalanus* Occurring in the China Seas

Chang-tai Shih ^{a,*}, Qing-Chao Chen ^b, Yang-Chi Lan ^c, Shih-Hui Hsiao ^d, Chi-Yu Weng ^e

^a National Taiwan Ocean University, Taiwan

^b South China Sea Institute of Oceanology, China

^c Fisheries Research Institute, Taiwan

^d National Taipei University of Education, Taiwan

^e Institute of Oceanography, National Taiwan University/Ocean Data Bank of the Ministry of National Science and Technology Council, Taiwan

Eucalanus bungii(3a/6a/f), *californicus*(2a/5a/f), *elongatus*(4b/7b/f), *hyalinus*(4a/7a/f)

1a	Female	2
1b	Male	5
2a/1a	Front of head forming an angle of less than 60°. Mandible: basis with 1 inner seta	<i>Eucalanus californicus</i>
2b	Front of head forming an angle of 60° or wider. Mandible: basis with 3 inner setae	3
3a/2b	Front of head forming an angle of 60°. Posterolateral corner of prosome rounded	<i>Eucalanus bungii</i>
3b	Front of head forming an angle wider than 60°. Posterolateral corner of prosome pointed	4
4a/3b	Posterolateral corner of prosome forming triangular wing-like process. Caudal rami asymmetrical, left caudal ramus longer than right caudal ramus. Leg 1: inner margin of endopod segment 1 with tufts of setules	<i>Eucalanus hyalinus</i>
4b	Posterolateral corner of prosoma forming a small pointed process. Caudal rami symmetrical. Leg 1: inner margin of endopod segment 1 without setules	<i>Eucalanus elongatus</i>
5a/1b	Left and right leg 5 segment 1 subequal in length	<i>Eucalanus californicus</i>
5b	Left leg 5 segment 1 reaching mid length of right leg 5 segment 2	6
6a/5b	Left leg 5: segment 1 about 1.5 times as long as segment 2; segment 4 less than 1.5 times as long as terminal spine	<i>Eucalanus bungii</i>
6b	Left leg 5: segments 1 and 2 subequal in length; segment 4 about 2 times as long as terminal spine	7
7a/6b	Left leg 5 4-segmented	<i>Eucalanus hyalinus</i>
7b	Left leg 5 3-segmented	<i>Eucalanus elongatus</i>


Available online 14 November 2022

* Corresponding author.

E-mail address: ctshih@mail.ntou.edu.tw (C.-t. Shih).



Eucalanus bungii Giesbrecht, 1893 (Size: female, 5.51–8.00 mm; male, 4.80–6.20 mm)




Eucalanus bungii Giesbrecht, 1893

Brodsky et al. 1983: fig. 94. Female, habitus (dorsal/lateral); Abd + Gn, genital double-somite (lateral/ventral); Abd, urosome (dorsal); Pmd♀, mandible; P1♀, leg 1. Male. P5, leg 5 (posterior).

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed May 06, 2021].

Eucalanus californicus Johnson, 1938 (Size: female, 4.40–7.50 mm; male, 4.00–5.00 mm)




Esterly, 1905: fig. 6. Female. a/b. habitus (dorsal.lateral). Male. c. forehead (dorsal); d. leg 5 (posterior).
Johnson, 1938: fig. 22. Male. 22. mandibular palp.

Johnson, 1938: fig.22. mandible.

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed May 06, 2021].

Eucalanus elongatus (Dana, 1848) (Size: female, 4.53–5.80 mm; male, 3.00–5.00 mm)




Eucalanus elongatus (Dana, 1848)

Mori, 1937: pl. 7. *Eucalanus elongatus* (Dana, 1848), Female. 1, habitus (dorsal); 3, mandible; 5, maxillule. Male. 2, habitus (dorsal); 4, leg 5 (anterior).

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed May 07, 2021].


Eucalanus hyalinus (Claus, 1866) (Size: female, 5.70–7.10 mm; male, 4.26–6.25 mm)




Eucalanus hyalinus (Claus, 1866)

Bradford-Grieve, 1994: fig. 42. *Eucalanus hyalinus* (Claus, 1866), Female. A, habitus (dorsal/lateral); B, habitus (dorsal); C/D, urosome (lateral/dorsal); E, mandibular palp. Male. F, forehead (dorsal); G, urosome (dorsal); H/I, leg 5 (lateral/anterior).


Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en>. [Accessed August 07, 2020].

Eucalanus hyalinus (Claus, 1866)


Female



Female: mouth parts



Female: legs



Male

Eucalanus hyalinus (Claus, 1866)

Original. *Eucalanus hyalinus* (Claus, 1866). Female, 5.74 mm, East China Sea: 25°25'N, 122°15'E, 200 m, habitus (dorsal/lateral); Female: mouth parts; Female: legs; Male, 5.64 mm, South China Sea: 6°30'N, 115°01'E, 1200 m, habitus (dorsal/lateral), mandible, maxillule, leg 5.