

Volume 30
Issue 5 Review-Special Issue (Part 2)

Article 51

Key to the species of Megacalanidae Bathycalanus occurring in the China Seas

Chang-tai Shih
National Taiwan Ocean University, ctshih@mail.ntou.edu.tw

Qing-Chao Chen
South China Sea Institute of Oceanology

Yang-Chi Lan
Fisheries Research Institute

Shih-Hui Hsiao
National Taipei University of Education

Chi-Yu Weng
Institute of Oceanography, National Taiwan University/Ocean Data Bank of the Ministry of National Science and Technology Council, Taiwan

Follow this and additional works at: <https://jmstt.ntou.edu.tw/journal>

 Part of the Fresh Water Studies Commons, Marine Biology Commons, Ocean Engineering Commons, Oceanography Commons, and the Other Oceanography and Atmospheric Sciences and Meteorology Commons

Recommended Citation

Shih, Chang-tai; Chen, Qing-Chao; Lan, Yang-Chi; Hsiao, Shih-Hui; and Weng, Chi-Yu (2022) "Key to the species of Megacalanidae Bathycalanus occurring in the China Seas," *Journal of Marine Science and Technology*: Vol. 30: Iss. 5, Article 51.

DOI: 10.51400/2709-6998.2642

Available at: <https://jmstt.ntou.edu.tw/journal/vol30/iss5/51>

This Review-Taxonomic Index is brought to you for free and open access by Journal of Marine Science and Technology. It has been accepted for inclusion in Journal of Marine Science and Technology by an authorized editor of Journal of Marine Science and Technology.

REVIEW-TAXONOMIC INDEX

Key to the Species of Megacalanidae *Bathycalanus* Occurring in the China Seas

Chang-tai Shih ^{a,*}, Qing-Chao Chen ^b, Yang-Chi Lan ^c, Shih-Hui Hsiao ^d, Chi-Yu Weng ^e

^a National Taiwan Ocean University, Taiwan

^b South China Sea Institute of Oceanology, China

^c Fisheries Research Institute, Taiwan

^d National Taipei University of Education, Taiwan

^e Institute of Oceanography, National Taiwan University/Ocean Data Bank of the Ministry of National Science and Technology Council, Taiwan

Bathycalanus eximius (1a/f)*(male unknown), *richardi*(1b/f)*

-
- 1a Genital double-somite with one semicircular protrusion on each side. Leg 1 exopod 3-segmented. Leg 5: exopod segment 3 and terminal spine subequal in length *Bathycalanus eximius*
- 1b Genital double-somite without semicircular protrusion on each side. Leg 1 exopod 2-segmented. Leg 5: exopod segment 3 twice as long as terminal spine *Bathycalanus richardi*
-

Available online 14 November 2022

* Corresponding author.

E-mail address: ctshih@mail.ntou.edu.tw (C.-t. Shih).



Bathycalanus eximius Markhaseva, 1983 (Size: female, 11.90–13.56 mm; male, unknown)




Fig. 87


Bathycalanus eximius Markhaseva, 1983



Fig. 87 (continued)

Markhaseva in Brodsky et al., 1983: Fig. 87. *Bathycalanus eximius* Markhaseva, 1983, Female. habitus (dorsal/lateral); R. forehead (lateral); Gn1/2/3. genital double-somite (dorsal/lateral/ventral); Mx2. maxilla. Fig. 87 (continued). Female. A2. antenna; Pmd. mandible; Md. mandibular blade; Mx1. maxillule; Mxp. maxilliped; p1/2/5. leg 1/2/5.


Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en> [Accessed May 05 21].

Bathycalanus eximius Markhaseva, 1983


Bathycalanus eximius Markhaseva, 1983

Original. Female, 10.56 mm, South China Sea. a/b. habitus (dorsal/lateral); c. right leg 1; d. left leg 5.

Bathycalanus richardi G.O. Sars, 1905. (Size: female, 8.25–12.00 mm; male, 6.00–10.00)



Pl. 4



Pl. 5

Bathycalanus richardi G.O. Sars, 1905.

Sars, 1905: pl. 4. *Bathycalanus richardi* G.O. Sars, 1905., Female. 1/2. habitus (dorsal/lateral); 3. forehead (lateral); 4. rostrum (frontal); 5. antenna; 6. mandible; 7. maxillule; 8. maxilla; 8a.enlargement of distal part of a seta of maxilla; 9. maxilliped; 10. leg 1; 11. leg 2; 12. leg 5. Pl. 5. Male. 1. habitus (dorsal); 2. right antennule, proximal segments; 3. right antennule, distal segments; 4. grasping segments of right antennule; 5. leg 1; 6. leg 5 exopod.

Adapted from Razouls C., de Bovée F., Kouwenberg J. and Desreumaux N., 2005–2020. Diversity and Geographic Distribution of Marine Planktonic Copepods. Sorbonne University, CNRS. Available at <http://copepodes.obs-banyuls.fr/en> [Accessed May 05, 2021].